


METROPOLITAN

CVSTOS
THE TIME KEEPER



USER MANUAL

METROPOLITAN
PETITE SECONDE SQT SAPPHIRE



0. SCREW-DOWN CROWN

In this initial position,
your watch is water-resistant up to 50 meters

1. HAND-WINDING

Unscrew the crown in position 1;
Turn the crown in a clockwise direction

2. SETTING THE DATE

Do not adjust the date between 9 pm and 3 am

Pull the crown in position 2;
Turn the crown in a clockwise direction.
This setting is also necessary for months with less than 31 days

3. TIME SETTING

Pull the crown in position 3;
Turn the crown until the correct time is displayed

4. DATE DISK

The date is indicated through a skeleton disk
developed by CVSTOS TECHNOLOGY

5. SECONDS AT 6 O'CLOCK

The second is indicated through a « trident » hand

Do not forget to tighten the crown after each manipulation

METROPOLITAN

CVSTOS
THE TIME KEEPER

TECHNICAL CHARACTERISTICS

Calibre CVSTOS 410 SQLT, automatic movement
with hour, minute, second at 6 o'clock and date functions

Date change instantaneous in a window at 6 o'clock

50 hours power-reserve

28,800 vibrations per hour

Exclusive METROPOLITAN CVSTOS rotor with individual QR Code

Open case back with sapphire crystal

Developed and manufactured in-house, the open dial offers a view
on the staggering arrangement of the skeletonized movement

Sapphire crystal with none-reflective coating

Water-resistance up to 50 meters

**In order to maintain your watch's optimal level of accuracy,
a full service is highly recommended every 5 year**