METROPOLITAN CVSTOS






USER MANUAL

METROPOLITAN PETITE SECONDE SQLT

METROPOLITAN CVSTOS





0. SCREW-DOWN CROWN

In this initial position, your watch is water-resistant up to 50 meters

1. HAND-WINDING

Unscrew the crown in position 1; Turn the crown in a clockwise direction

2. SETTING THE DATE

Do not adjust the date between 9 pm and 3 am

Pull the crown in position 2; Turn the crown in a clockwise direction. This setting is also necessary for months with less than 31 days

3. TIME SETTING

Pull the crown in position 3; Turn the crown until the correct time is displayed

4. DATE DISK

The date is indicated through a skeleton disk developped by CVSTOS TECHNOLOGY


5. SECONDS AT 6 O'CLOCK


The second is indicated through a « trident » hand

Do not forget to tighten the crown after each manipulation

METROPOLITAN CVSTOS







The highly adjustable comfort extension system allows up to 6 mm tuning length



Featuring a tool-free interchangeability, a patented system, activated by a single push-piece integrated behind the lugs, enables an easy swap between the Grade 5 Titanium bracelet and the rubber or alligator leather straps.





TECHNICAL CHARACTERISTICS

Calibre CVSTOS 410 SQLT, automatic movement with hour, minute, second at 6 o'clock and date functions

Date change instantaneous in a window at 6 o'clock

50 hours power-reserve

28,800 vibrations per hour

Exclusive METROPOLITAN CVSTOS rotor with individual QR Code

Open case back with sapphire crystal

Developed and manufactured in-house, the open dial offers a view on the staggering arrangement of the skeletonized movement

Sapphire crystal with none-reflective coating

Water-resistance up to 50 meters