METROPOLITAN CVSTOS






USER MANUAL

METROPOLITAN PETITE SECONDE

METROPOLITAN CVSTOS





0. SCREW-DOWN CROWN

In this initial position, your watch is water-resistant up to 50 meters

1. HAND-WINDING

Unscrew the crown in position 1; Turn the crown in a clockwise direction

2. SETTING THE DATE

Do not adjust the date between 9 pm and 3 am

Pull the crown in position 2; Turn the crown in a clockwise direction. This setting is also necessary for months with less than 31 days

3. TIME SETTING

Pull the crown in position 3; Turn the crown until the correct time is displayed

4. DATE DISK

The date is indicated through a skeleton disk developped by CVSTOS TECHNOLOGY


5. SECONDS AT 6 O'CLOCK


The second is indicated through a « trident » hand

Do not forget to tighten the crown after each manipulation

METROPOLITAN







The highly adjustable comfort extension system allows up to 6 mm tuning length



Featuring a tool-free interchangeability, a patented system, activated by a single push-piece integrated behind the lugs, enables an easy swap between the Grade 5 Titanium bracelet and the rubber or alligator leather straps.





TECHNICAL CHARACTERISTICS

Calibre CVSTOS 410 SQLT, automatic movement with hour, minute, second at 6 o'clock and date functions

Date change instantaneous in a window at 6 o'clock

50 hours power-reserve

28,800 vibrations per hour

Exclusive METROPOLITAN CVSTOS rotor with individual QR Code

Open case back with sapphire crystal

Vertical guilloche dial obtained by an exclusive diamond process

Sapphire crystal with none-reflective coating

Water-resistance up to 50 meters